

TYLOCARE PURE

WATER SOLUBLE POWDER/GRANULATE

Composition:

Each gram granulate contains:
1000 mg tylosin tartrate

Spectrum of activity:

Tylosin, a macrolide antibiotic, is active against particularly Gram-positive bacteria like *Streptococcus* spp. and *Staphylococcus* spp. (including *Staphylococcus aureus*), some Spirochetes (including *Leptospira*); *Actinomyces*, Mycoplasmas (PPLO), *Haemophilus pertussis*, *Moraxella bovis* and some Gram-negative cocci.

Indications:

Prevention and treatment of infections caused by micro-organisms susceptible to tylosin, like Mycoplasma-infections (C.R.D., Synusitis, enzootic pneumonia), enteritis (*Treponema hyodysenteriae*) and pneumonia infections (*Pasteurella multocida*) in cattle, pigs, poultry (broilers) and pigeons.

Contra-indications:

Laying hens.

Side-effects:

Pigs: Hypersensitivity reactions like oedema of the rectal mucosa, anal swellings and diarrhoea.

Dosage and administration:

Administer orally via the drinking water. First make a presolution by adding 2 litres of tepid water under continuous stirring to a container with 100 gram (not vice versa) and add this solution to prepare the final solution in the correct concentration. Medicated drinking water should be used within 24 hours.

Poultry: 100 g per 200 litres of drinking water for 2-5 days.

Pigeons: 2 g per 2 litres of drinking water for 2-5 days.

Calves: 1 g per calf through the drinking water or milk, twice a day, for 7-14 days.

Pigs: 100 g per 400 litres of drinking water, daily, for 10 days.

Withdrawal time:

For meat: 5 days.

Storage:

Store at 15-25 °C, in a dry place.

Shelf life:

3 years.

Presentation:

Plastic jar of 100 gram and 500 gram.



FOR VETERINARY USE ONLY
KEEP OUT OF REACH OF CHILDREN